

To: Shore, Berry[Shore.Berry@epa.gov]
From: Enck, Judith
Sent: Sat 3/5/2016 8:26:35 PM
Subject: Fwd: Google Alert - PFOA

Sent from my iPhone

Begin forwarded message:

From: Google Alerts <googlealerts-noreply@google.com>
Date: March 5, 2016 at 3:01:38 PM EST
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update □ March 5, 2016

NEWS

Rensselaer County testing water sources for cancer-causing chemical, **PFOA**

Troy Record

That source, a well in the town of Petersburg, had a **PFOA** level of 130 parts per trillion, 30 percent above the EPA's advisory level of 100 PPT.

   [Flag as irrelevant](#)

[TWC News](#)

State Updates Progress on **PFOA** Testing

TWC News

State officials have shared a status update on water testing in the town and village of Hoosick Falls for the chemical **PFOA**. Since last week, state ...

[Home News Science News Officials took months to warn residents of a tiny New York village...](#) - Daily News

[Full Coverage](#)

   [Flag as irrelevant](#)

[Patch.com](#)

I-93 Crashes, **PFOA** in Water, Heroin Treatment Center: NH Right Now

Patch.com

Plus, BAE's hiring, gravesite incident, Granite State Challenge update, pot plant bust, town elections, mandolin festival, art, and more.

   [Flag as irrelevant](#)

[Patch.com](#)

Chemical discovered in Merrimack drinking water prompts investigation

The Union Leader

According to a statement from DES, the U.S. Environmental Protection Agency has not set an enforceable

drinking water standard for **PFOA**, however ...

   [Flag as irrelevant](#)

Treehugger

Teflon replacement chemical causes cancer in animals, reports reveal

Treehugger

GenX, introduced in 2009 as a substitute for Teflon's toxic **PFOA**, doesn't seem safe at all. When a massive class-action lawsuit brought the toxic ...

   [Flag as irrelevant](#)

MSN

Shumlin, Brockovich to address Bennington water issue

Berkshire Eagle (subscription)

He thanked residents affected by **PFOA** in their wells for their patience. ... News that **PFOA** was also found in New Hampshire is concerning, Shumlin ...

   [Flag as irrelevant](#)

Journal Online, online

Erin Brockovich Expands Water Contamination Investigation To North Bennington

Vermont Public Radio

The State of Vermont announced last week that five wells near the former Chemfab plant in North Bennington tested positive for **PFOA**, a suspected ...

[Law firm extends water investigation to Vt.](#) - Barre Montpelier Times Argus

[Gov. Shumlin Offers Assistance After Public Drinking Sources](#) - My Champlain Valley FOX44 & ABC22

[Erin Brockovich and NY law firm to investigate North Bennington water contamination](#) - vtdigger.org

[Full Coverage](#)

   [Flag as irrelevant](#)

Patch.com

Perfluorooctanoic Acid Found in Merrimack Water

Patch.com

PFOA has been detected in the water supplies and some private wells in Hoosick Falls, NY, and North Bennington, VT, other Saint-Gobain ...

   [Flag as irrelevant](#)

[Latest Hoosick well tests show safer levels](#)

Albany Times Union

Most of the 153 wells tested over the last week had levels of perfluorooctanoic acid, or **PFOA**, below the Environmental Protection Agency's safety ...

   [Flag as irrelevant](#)

CBS Local

New Water Tests Find Low Or Undetectable Levels Of Chemical

CBS Local

The tests were for compounds called PFOS and **PFOA**, which were widely used in nonstick cookware coatings, firefighting foam and other materials.

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)